

| Item # | 25 | |
|--------|----|--|
|--------|----|--|

SEMINOLE COUNTY GOVERNMENT AGENDA MEMORANDUM

| SUBJECT: REGAL POINTE PARK FINAL PLAT | |
|---|--|
| DEPARTMENT: Planning & Development DIVISION: Development | t Review |
| AUTHORIZED BY: Dan Matthys O CONTACT: Denny Gibbs | EXT. 7359 |
| Agenda Date <u>4/11/06</u> Regular ☐ Consent ☑ Work Session Public Hearing – 1:30 ☐ Public Hea | Briefing I |
| MOTION/RECOMMENDATION: | |
| Approve and authorize the Chairman to execute, the final plat for located on South Sun Drive in Section 18, Township 20S, Range 30E | • |
| District 4 – Commissioner Henley (Denny Gibb | s, Senior Planner) |
| BACKGROUND: The applicant, Suncor Properties, Inc., is requesting final plat approve Park, a commercial subdivision. The subject property is located of South Sun Drive, west of Greenwood Blvd. in Section 18, Township The plat consists of two (2) commercial lots zoned PUD and is Greenwood at Lake Mary Phase 2. The proposed subdivision Seminole County for water and sewer. Staff has reviewed the plat and finds that it complies with Chapter 3 County Land Development Code and Chapter 177, Florida Statues. the applicant will submit a performance bond in compliance with the 35.44(e)(1). STAFF RECOMMENDATION: | n the north side of 20S, Range 30E. a replat of Lot 3, will be served by 35 of the Seminole Prior to recording the SCLDC Section |
| Staff recommends the Board approve and authorize the Chairman to plat for Regal Pointe Park. | |
| District 4 – Commissioner Henley | Reviewed by: Co Atty: |
| Attachments: Location Map Site Map Reduced Copy of Plat | DFS: Other: DCM: CM: |
| | File No. cpdd03 |




filename: L:/pt/projects/p&z/2006/GIS/staff_report_pkgs/sitemaps_large/Z2006-0**sitemap.mxd **/**/06



REGAL POINTE PARK

A REPLAT OF LOTS 3, GREENWOOD AT LAKE MARY PHASE 2, PLAT BOOK 54, PAGES 48 THROUGH 51, SEMINOLE COUNTY, FLORIDA SECTION 18, TOWNSHIP 20 SOUTH, RANGE 30 EAST SEMINOLE COUNTY, FLORIDA



VIGINITY MAP SCALE ~ NONE

DESCRIPTION:

FROM THE MOST NORTHWESTERLY CORNER OF LOT 3, GREENWOOD AT LAKE MARY PHASE 2, AS RECORDED IN PLAT BOOK 54, PAGES 48 THROUGH 51, OF THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, AS A POINT OF BEGINNING, RUN ALONG THE BOUNDARY OF SAID LOT 3 THE FOLLOWING COURSES AND DISTANCES: N89'48'27"E A DISTANCE OF 489.96'; THENCE S53'57'05"E A DISTANCE OF 25.50'; THENCE CONTINUE N89'48'27"E A DISTANCE OF 62.55'; THENCE S53'57'05"E A DISTANCE OF 525.50'; THENCE CONTINUE N89'48'27"E A DISTANCE OF 62.55'; THENCE S53'57'05"E A DISTANCE OF 57.24'; THENCE N89'48'30"E A DISTANCE OF 536.80' TO THE NORTHEAST CORNER OF SAID LOT 3; RUN THENCE S00'33'32"E A DISTANCE OF 82.74" TO THE P.C. OF A CURVE CONCAVE MORTHEAST AND HAWING A RADIUS OF 1044', 32'; RUN THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 511'72"A DISTANCE OF 98.44" TO THE P.C. OF CURVE CONCAVE NORTHWEST AND HAWING A RADIUS OF 50.00'; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44'37'55" A DISTANCE OF 73.86" TO THE P.T. OF SAID CURVE THROUGH A CENTRAL ANGLE OF ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF ALONG THE ARC OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 77.86" TO THE P.T. OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE; RUN THENCE SOUTHWEST AND HAVING A RADIUS OF 572.50"; RUN THENCE SOUTHWEST SERRY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 71.68" TO THE P.T. OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 71.68" TO THE P.C. OF A CURVE CONCAVE NORTHWEST STAY OF SAID CURVE; RUN THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 71.68" TO THE P.C. OF A CURVE CONCAVE NORTHWEST STAYL ALONG THE SATS OF 307.36" TO THE P.C. OF A CURVE THROUGH A CENTRAL ANGLE OF 716'45" A DISTANCE OF 307.3 THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 47'16'45" A DISTANCE OF 307.36' TO THE P.R.C. WITH A CURVE BEING CONCAVE NORTHEAST AND HAVING A RADIUS OF 477.50' RUN THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 47:26'20' A DISTANCE OF 39:5.5" TO THE P.T. OF SAID CURVE; RUN THENCE S89:38'52" A DISTANCE OF 39:5.2" A DISTANCE OF 39:5.2" A DISTANCE OF 198.97' TO THE P.C. OF A CURVE CONCAVE NORTHEAST AND AHVING A RADIUS OF 25:00'; RUN THENCE NORTH-WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90'00'00" A DISTANCE OF 39:27' TO THE P.T. OF SAID CURVE; RUN THENCE NO0'21'08"W A DISTANCE OF 26:06" TO THE POINT OF BEGINNING.

NOTES:

- 1. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF SEMINOLE COUNTY,
- THAT MAY BE FOUND IN THE PUBLIC RECORDS OF SEMINOLE COUNTY.

 2. ALL PLATTED UTILITY ASSMEMITS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES, PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF AN ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES. THIS SECTION SHALL NOT APPLY TO THOSE PUBLIC EASEMENTS GRANTED TO OR OBTAINED BY A PARTICULAR ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION SHALL COMPLY WITH THE NATIONAL ELECTRICAL SAFETY CODE AS ADOPTED BY THE FLORIDA PUBLIC SERVICE COMMISSION.
- 3. BEARING STRUCTURE BASED ON THE CENTERLINE SUN DRIVE AT LOT 4 BEING N89'48'27"E PER PLAT

THIS PLAT PREPARED BY: MIMS SURVEYING & MAPPING, INC. LB7076 8238 FORT THOMAS WAY ORLANDO, FLORIDA 32822 407-275-6691 PROJ. NO. MO327PLATI

- ED DENOTES PERMANENT REFERENCE MONUMENT (PRM), 4x4
 CONCRETE MONUMENT WITH METAL DISK MARKED, :NIMS PRM LS2494*

 DENOTES PERMANENT CONTROL POINT (PCP) NAIL & METAL DISK
 MARKED, * MMS PCP LS2494*
- A . DENOTES POINT OF INTERSECTION POINT NOT SET IN FIELD

THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIMBED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY

| CERTIFICATE OF COUNTY SURVE | YOR |
|---|-----------------|
| I have reviewed this plat and find it to be in Chapter 177.08(1) Florida Statutes | conformity with |
| Steve L. Wessels, PSM Florida Registration Number 4589 Caunty Surveyor for Seminole County, Florida | Date |

| P | L | Α | T |
|--------------|--------|---|---|
| \mathbb{R} | \Box | П | V |

PAGE

REGAL POINTE PARK

A REPLAT DEDICATION

| WITHESS: | SUNCOR PROPERTIES, INC., A | FLORIDA CORPORATION | |
|--|--|--|-------------|
| SIGNATURE | BY: SUN | COR PROPERTIES, INC. A FLORIDA CORPORATION | |
| PRINTED HAKE | | 2 | |
| SIGNATURE | | Y: | |
| PRINTED NAME | · · · · · · · · · · · · · · · · · · · | ITLE: | |
| of, ; SUNCOR PROPERT behalf of the cor | NOLE trument was acknowled 2006, by, TES, INC., A Florida Co- | the President of | gy |
| Notary Public Sto Commission Numb | | {Notary Seal} | |
| a protessional | | . That the undersigned, being that has prepared the foreas | ina |
| plat and was plat complies Florida Statue: County, Florida Dated: 3/6/0 | surveyor and mapper made under my directivity of the survey or and that soid land in the survey of the survey of the soid land in the survey of the survey o | that has prepared the foregon and supervision and that requirements of Chapter 177, is located within Seminole | the |
| plat and was plat complies Florida Statue: County, Florida Dated: 2/4/C Dated: 2/4/ | surveyor and mapper made under my direction with all of the survey at an an analysis and that soid land in the survey at an analysis and that soid land in the survey at an analysis and that soid land in the survey at an analysis and the survey at | that has prepared the foregon and supervision and that requirements of Chapter 177, is located within Seminole | the |
| plat and was plat complies Florida Statue: County, Florida Statue: Certificate Of This is to certificate Of Seminole County Chairman of the Chairman of the Chairman of the County Statue: County S | surveyor and mapper made under my direction with all of the survey s; and that said land is signed. Signed S. & MAPPING, INC. LB70 A 32822 APPROVAL BY BOARD TIFY, That on mas approved by the Bunty, Florida: | that has prepared the foregon and supervision and that requirements of Chapter 177, is located within Seminole WALTER T. MIMS FLA REG NO. LS2494 OF COUNTY COMMISSIONERS the oard of County Commisioners | the |
| plat and was plat complies Florida Statue: County, Florida Statue: County Statue: Count | surveyor and mapper made under my direction with all of the survey at an an analysis and that soid land in the survey at an analysis and that soid land in the survey at an analysis and that soid land in the survey at an analysis and the survey at | that has prepared the foregon and supervision and that requirements of Chapter 177, is located within Seminole WALTER T. MIMS FLA REG NO. LS2494 OF COUNTY COMMISSIONERS the oard of County Commisioners ATTEST: Printed Name | the |
| plat and was plat complies Florida Statue: County, Florida Dated: 244 MIMS SURVEYING 8238 FORT THON ORLANDO, FLORIE CERTIFICATE OF THIS IS TO CERTIFICATE OF Goregoing plat of Seminole Co Chairman of the Print C I HEREBY CERTIF that it complies | surveyor and mapper made under my direction with all of the survey at and that soid land in the survey at a survey | that has prepared the foregon and supervision and that requirements of Chapter 177, is located within Seminole WALTER T. MIMS FLA REG NO. LS2494 OF COUNTY COMMISSIONERS the oard of County Commisioners ATTEST: Printed Name OF CIRCUIT COURT d the forgoing plat and find equirements of Chapter 177, | the |

CLERK OF THE COURT in and for Seminole County, Florida

D.C.

